# Author index to volumes 41/42

Abo-Arais, A., see Siebke, F.	41/42 (1996) 5	29
Ahmed, E., see Zegadi, A.	41/42 (1996) 2	95
Ahrenkiel, R.K., D. Levi and J. Arch, Recombination lifetime studies of silicon spheres	41/42 (1996) 1	71
Ahrenkiel, R.K., see Levi, D.H.	41/42 (1996) 3	81
Al-Jassim, M., see Levi, D.H.	41/42 (1996) 3	81
Al-Jassim, M.M., see Wanlass, M.W.	41/42 (1996) 4	05
Altermatt, P.P., see Zhao, J.	41/42 (1996)	87
Aoyama, S., see Ma, W.	41/42 (1996) 4	153
Arch, J., see Ahrenkiel, R.K.	41/42 (1996) 1	71
Asher, S., see Contreras, M.A.	41/42 (1996) 2	231
Asoka-Kumar, P., see Nelson, A.J.	41/42 (1996) 3	115
Beck, E., see Burdick, J.	41/42 (1996) 5	575
Bekkedahl, T., see Ciszek, T.F.	41/42 (1996)	61
Bell, R.O., M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch, A comparison of the		
behavior of solar silicon material in different production processes	41/42 (1996)	71
Beneking, C., see Kubon, M.	41/42 (1996) 4	185
Beneking, C., see Rech, B.	41/42 (1996) 4	175
Benner, J.P., see Sopori, B.L.	41/42 (1996) 1	159
Bennett, M.S., see McMahon, T.J.	41/42 (1996) 4	165
Bergmann, R., see Shi, Z.	41/42 (1996)	53
Bilger, G., see Zweigart, S.	41/42 (1996) 2	219
Bingham, C.E., see Tsuo, Y.S.	41/42 (1996)	41
Birkmire, R.W., see Levi, D.H.	41/42 (1996) 3	381
Bode, M.H., see Gabor, A.M.	41/42 (1996) 2	247
Boehmer, E., see Kubon, M.	41/42 (1996) 4	485
Boiko, M.E. and G.A. Medvedkin, Thermal oxidation of CulnSe <sub>2</sub> : Experiment and		
physico-chemical model	41/42 (1996) 3	307
Braunger, D., see Walter, T.	41/42 (1996) 3	355
Brendel, R., J.H. Werner and H.J. Queisser, Thermodynamic efficiency limits for		
semiconductor solar cells with carrier multiplication	41/42 (1996) 4	419
Brown, W.D., see Haque, M.S.	41/42 (1996) 5	543
Burdick, J., J. Pruett and E. Beck, Qualification testing of thin-film and crystalline		
photovoltaic modules	41/42 (1996) 5	575
Burrows, R.W., see Ciszek, T.F.	41/42 (1996)	61
Campbell, P., see Wenham, S.R.	41/42 (1996)	
Catalano, A., Polycrystalline thin-film technologies: Status and prospects	41/42 (1996)	
Chen, Z., see Doshi, P.	41/42 (1996)	
Chin, V.L., see Shi, Z.	41/42 (1996)	53

Ciszek, T.F., T.H. Wang, R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb,	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of	
high-purity, dislocation-free and multicrystalline silicon	41/42 (1996) 61
Ciszek, T.F., see Tsuo, Y.S.	41/42 (1996) 41
Ciszek, T.F., see Wang, T.H.	41/42 (1996) 19
Contreras, M.A., J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A. Franz, J.	
Keane, L. Wang and R. Noufi, High efficiency graded bandgap thin-film polycrys-	
talline Cu(In,Ga)Se <sub>2</sub> -based solar cells	41/42 (1996) 231
Contreras, M.A., see Gabor, A.M.	41/42 (1996) 247
Contreras, M.A., see Nelson, A.J.	41/42 (1996) 315
Coutts, T.J., see Wanlass, M.W.	41/42 (1996) 405
D'Aiello, R., see Osterwald, C.R.	41/42 (1996) 629
De Clercq, K., see Nijs, J.	41/42 (1996) 101
Demesmaeker, E., see Nijs, J.	41/42 (1996) 101
Deng, X., see Sopori, B.L.	41/42 (1996) 159
Dhere, N.G. and K.W. Lynn, CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> thin film solar cells by two-selenizations	
process using Se vapor	41/42 (1996) 271
Dittrich, H., see Walter, T.	41/42 (1996) 355
Doshi, P., A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier, Rapid thermal	
processing of high-efficiency silicon solar cells with controlled in-situ annealing	41/42 (1996) 31
Eberspacher, C., C.F. Gay and P.D. Moskowitz, Strategies for enhancing the commer-	
cial viability of CdTe-based photovoltaics	41/42 (1996) 637
Edmiston, S., see Honsberg, C.B.	41/42 (1996) 183
Edmiston, S., see Wenham, S.R.	41/42 (1996) 3
Egawa, T., see Umeno, M.	41/42 (1996) 395
Emery, K., see Strand, T.	41/42 (1996) 617
Emery, K.A., see Wanlass, M.W.	41/42 (1996) 405
Estreicher, S.K., see Sopori, B.L.	41/42 (1996) 159
Ferreira, I., see Martins, R.	41/42 (1996) 493
Fortunato, E., see Martins, R.	41/42 (1996) 493
Franz, A., see Contreras, M.A.	41/42 (1996) 231
Franz, A., see Gabor, A.M.	41/42 (1996) 247
Frisson, L., see Nijs, J.	41/42 (1996) 101
Gabor, A., see Contreras, M.A.	41/42 (1996) 231
Gabor, A.M., J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	
Noufi, D.G. Jensen and A.M. Hermann, Band-gap engineering in Cu(In,Ga)Se <sub>2</sub> thin	
films grown from (In,Ga) <sub>2</sub> Se <sub>3</sub> precursors	41/42 (1996) 247
Gabor, A.M., see Nelson, A.J.	41/42 (1996) 315
Gay, C.F., see Eberspacher, C.	41/42 (1996) 637
Gee, J.M., see Schubert, W.K.	41/42 (1996) 137
Ghannam, M., see Nijs, J.	41/42 (1996) 101
Green, M.A., see Honsberg, C.B.	41/42 (1996) 183
Green, M.A., see Keevers, M.J.	41/42 (1996) 195
Green, M.A., see Shi, Z.	41/42 (1996) 53
Green, M.A., see Wenham, S.R.	41/42 (1996) 3
Green, M.A., see Zhao, J.	41/42 (1996) 87
Guimarães, L., see Martins, R.	41/42 (1996) 493

Hamakawa, Y., see Ma, W.	41/42 (1996) 453
Hammond, R., see Osterwald, C.R.	41/42 (1996) 629
Hanitsch, R., see Krauter, S.	41/42 (1996) 557
Hansen, R., see Strand, T.	41/42 (1996) 617
Haque, M.S., H.A. Naseem and W.D. Brown, Aluminum-induced degradation	and
failure mechanisms of a-Si:H solar cells	41/42 (1996) 543
Hariskos, D., M. Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Sto	olt, A
novel cadmium free buffer layer for Cu(In,Ga)Se2 based solar cells	41/42 (1996) 345
Hasoon, F.S., see Levi, D.H.	41/42 (1996) 381
Hedström, J., see Hariskos, D.	41/42 (1996) 345
Heiser, G., see Wenham, S.R.	41/42 (1996) 3
Herberholz, R., see Walter, T.	41/42 (1996) 355
Hermann, A.M., see Gabor, A.M.	41/42 (1996) 247
Hill, A.E., see Zegadi, A.	41/42 (1996) 295
Hishikawa, Y., K. Ninomiya, E. Maruyama, S. Kuroda, A. Terakawa, K. Sayam	
Tarui, M. Sasaki, S. Tsuda and S. Nakano, Approaches for stable multi-junction	
solar cells	41/42 (1996) 441
Homberg, F., see Pauli, M.	41/42 (1996) 119
Honsberg, C.B., S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A. G	
Capitalizing on two dimensional minority carrier injection in silicon solar cell d	
Honsberg, C.B., see Wenham, S.R.	41/42 (1996)
Hund, T.D., see Schubert, W.K.	41/42 (1996) 137
	, (,
Jensen, D.G., see Gabor, A.M.	41/42 (1996) 24
Jimbo, T., see Umeno, M.	41/42 (1996) 39:
Jones, K.M., see Wanlass, M.W.	41/42 (1996) 40:
Kaiser, M., see Ruckh, M.	41/42 (1996) 33:
Kato, T., see Umeno, M.	41/42 (1996) 39
Kazmerski, L.L., see Levi, D.H.	41/42 (1996) 38
Keane, J., see Contreras, M.A.	41/42 (1996) 23
Keevers, M.J. and M.A. Green, Extended infrared response of silicon solar cells at	
impurity photovoltaic effect	41/42 (1996) 19
Kessler, J., see Menezes, S.	41/42 (1996) 32
Keyes, B.M., see Levi, D.H.	41/42 (1996) 38
King, D.L., see Schubert, W.K.	41/42 (1996) 13
Köble, Ch., see Walter, T.	41/42 (1996) 35
Koschier, L., see Honsberg, C.B.	41/42 (1996) 18
Koschier, L., see Wenham, S.R.	41/42 (1996)
Krauter, S. and R. Hanitsch, Actual optical and thermal performance of PV-modu	
Krühler, W., see Pauli, M.	41/42 (1996) 11
Krühler, W., see Reindl, T.	41/42 (1996) 12
Kubon, M., E. Boehmer, F. Siebke, B. Rech, C. Beneking and H. Wagner, Solut	
the ZnO/p contact problem in a-Si:H solar cells	41/42 (1996) 48
Kuroda, S., see Hishikawa, Y.	41/42 (1996) 44
	44 440 (4500)
Landry, M.D., see Tsuo, Y.S.	41/42 (1996) 4
Levi, D., see Ahrenkiel, R.K.	41/42 (1996) 17
	assim.
Levi, D.H., H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-J	
Levi, D.H., H.R. Moutinho, F.S. Hissoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-J L.L. Kazmerski and R.W. Birkmire, Micro through nanostructure investigation.	ons of
Levi, D.H., H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-J	

Liu, X., see Sites, J.R.	41/42 (1996) 373
Lotter, E., see Wanka, H.N.	41/42 (1996) 519
Luck, I., see Scheer, R.	41/42 (1996) 261
Lynn, K.G., see Nelson, A.J.	41/42 (1996) 315
Lynn, K.W., see Dhere, N.G.	41/42 (1996) 271
Ma, W., S. Aoyama, H. Okamoto and Y. Hamakawa, A study of inte	erface properties in
a-Si solar cells with $\mu$ c-Si(C)	41/42 (1996) 453
Martins, R., M. Vieira, I. Ferreira, E. Fortunato and L. Guimarães, T of doped silicon oxycarbide microcrystalline films produced by	
techniques	41/42 (1996) 493
Maruyama, E., see Hishikawa, Y.	41/42 (1996) 441
Mason, A., see Nelson, A.J.	41/42 (1996) 315
Matson, R., see Wang, T.H.	41/42 (1996) 19
Matson, R.J., see Menezes, S.	41/42 (1996) 325
McMahon, T.J. and M.S. Bennett, Metastable shunt paths in a-Si sol	ar cells 41/42 (1996) 465
Medvedkin, G.A., see Boiko, M.E.	41/42 (1996) 307
Meier, D.L., see Doshi, P.	41/42 (1996) 31
Menezes, S., J. Kessler, D. Schmid, H.W. Schock and R.J. Mats	
$(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar	cell absorber layers 41/42 (1996) 325
Menna, P., see Tsuo, Y.S.	41/42 (1996) 41
Mertens, R., see Nijs, J.	41/42 (1996) 101
Moskowitz, P.D., see Eberspacher, C.	41/42 (1996) 637
Moutinho, H., see Wang, T.H.	41/42 (1996) 19
Moutinho, H.R., see Levi, D.H.	41/42 (1996) 381
Mrig, L., see Strand, T.	41/42 (1996) 617
Müller, J., see Pauli, M.	41/42 (1996) 119
Müller, J., see Reindl, T.	41/42 (1996) 127
Nakano, S., see Hishikawa, Y.	41/42 (1996) 441
Naseem, H.A., see Haque, M.S.	41/42 (1996) 543
Nelson, A.J., A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kun Relation of polycrystalline Cu(In,Ga)Se <sub>2</sub> device efficiency with	junction depth and
interfacial structure	41/42 (1996) 315
Nijs, J., E. Demesmaeker, J. Szlufcik, J. Poortmans, L. Frisson, Ghannam, R. Mertens and R. Van Overstraeten, Recent improver printing technology and comparison with the buried contact techn	nents in the screen-
lation	41/42 (1996) 101
Ninomiya, K., see Hishikawa, Y.	41/42 (1996) 441
Noufi, R., see Contreras, M.A.	41/42 (1996) 231
Noufi, R., see Gabor, A.M.	41/42 (1996) 247
Okamoto, H., see Ma, W.	41/42 (1996) 453
Osterwald, C.R., R. Hammond, G. Zerlaut and R. D'Aiello, Pl certification and laboratory accreditation criteria development	hotovoltaic module 41/42 (1996) 629
Park, Y.K., see Sopori, B.L.	41/42 (1996) 159
Pauli, M., T. Reindl, W. Krühler, F. Homberg and J. Müller, A new for multicrystalline silicon layers on graphite substrates suited for	r low-cost thin film
solar cells	41/42 (1996) 119
Pauli, M., see Reindl, T.	41/42 (1996) 127
Pem, F.J., Factors that affect the EVA encapsulant discoloration ra	
exposure	41/42 (1996) 587

Pilkington, R.D., see Zegadi, A.	41/42 (1996) 295
Pitts, J.R., see Tsuo, Y.S.	41/42 (1996) 41
Poortmans, J., see Nijs, J.	41/42 (1996) 101
Prince, M., see Bell, R.O.	41/42 (1996) 71
Pruett, J., see Burdick, J.	41/42 (1996) 575
Queisser, H.J., see Brendel, R.	41/42 (1996) 419
Ramanathan, K., see Contreras, M.A.	41/42 (1996) 231
Rasch, K.D., see Bell, R.O.	41/42 (1996) 71
Rech, B., C. Beneking and H. Wagner, Improvement in stabilized efficiency of a-Si:H	
solar cells through optimized p/i-interface layers	41/42 (1996) 475
Rech, B., see Kubon, M.	41/42 (1996) 485
Reindl, T., W. Krühler, M. Pauli and J. Müller, Electrical and structural properties of the	
Si/C interface in poly-Si thin films on graphite substrates	41/42 (1996) 127
Reindl, T., see Pauli, M.	41/42 (1996) 119
Roberson, M.A., see Sopori, B.L.	41/42 (1996) 159
Rohatgi, A., see Doshi, P.	41/42 (1996) 31
Rohatgi, A., see Sopori, B.L.	41/42 (1996) 159
Ropp, M., see Doshi, P.	41/42 (1996) 31
Ruby, D., see Doshi, P.	41/42 (1996) 31
Ruckh, M., D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock, Influence	11 110 (1000) 207
of substrates on the electrical properties of Cu(In,Ga)Se <sub>2</sub> thin films	41/42 (1996) 335
Ruckh, M., see Hariskos, D.	41/42 (1996) 345
Ruckh, M., see Schmid, D.	41/42 (1996) 281
Rühle, U., see Hariskos, D.	41/42 (1996) 345
Sana, P., see Sopori, B.L.	41/42 (1996) 159
Sasaki, M., see Hishikawa, Y.	41/42 (1996) 441
Sayama, K., see Hishikawa, Y.	41/42 (1996) 441
Schäffler, R., see Ruckh, M.	41/42 (1996) 335
Scheer, R., I. Luck, H. Sehnert and H.J. Lewerenz, Scavenging of excess Cu atoms in	
CulnS <sub>2</sub> films by sulphur annealing	41/42 (1996) 261
Schmid, D., M. Ruckh and H.W. Schock, A comprehensive characterization of the	
interfaces in Mo/CIS/CdS/ZnO solar cell structures	41/42 (1996) 281
Schmid, D., see Menezes, S.	41/42 (1996) 325
Schmid, D., see Ruckh, M.	41/42 (1996) 335
Schmidt, W., see Bell, R.O.	41/42 (1996) 71
Schock, H.W., see Hariskos, D.	41/42 (1996) 345
Schock, H.W., see Menezes, S.	41/42 (1996) 325
Schock, H.W., see Ruckh, M.	41/42 (1996) 335
Schock, H.W., see Schmid, D.	41/42 (1996) 281
Schock, H.W., see Walter, T.	41/42 (1996) 355
Schock, H.W., see Zweigart, S.	41/42 (1996) 219
Schropp, R.E.I., see Vanmaekelbergh, D.	41/42 (1996) 537
Schubert, M.B., see Wanka, H.N.	41/42 (1996) 519
Schubert, W.K., D.L. King, T.D. Hund and J.M. Gee, 15%-Efficient multicrystalline-	41 (40 (1000) 100
silicon photovoltaic modules: cell processing and characterization	41/42 (1996) 137
Schwerdtfeger, C.R., see Wang, T.H.	41/42 (1996) 19
Schnert, H., see Scheer, R. Shi 7, W. Zhang G.E. Zhang V.I. Chin A. Stanbarg M.A. Green and B. Bergmann	41/42 (1996) 261
Shi, Z., W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann, The effects of solvent and dopant impurities on the performance of LPE silicon solar	
cells	41/42 (1996) 53

Shi, Z., see Wenham, S.R.	41/42 (1996) 3
Siebke, F., H. Stiebig, A. Abo-Arais and H. Wagner, Charged and neutral defect states	
in a-Si:H determined from improved analysis of the constant photocurrent method	41/42 (1996) 529
Siebke, F., see Kubon, M.	41/42 (1996) 485
Sites, J.R. and X. Liu, Recent efficiency gains for CdTe and CuIn <sub>1-X</sub> Ga <sub>X</sub> Se <sub>2</sub> solar	
cells: What has changed?	41/42 (1996) 373
Soga, T., see Umeno, M.	41/42 (1996) 395
Sopori, B.L., X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson, Hydrogen in silicon: A discussion of diffusion and passivation	
mechanisms	41/42 (1996) 159
Sproul, A.B., see Honsberg, C.B.	41/42 (1996) 183
Sproul, A.B., see Wenham, S.R.	41/42 (1996) 3
Stephens, A., see Shi, Z.	41/42 (1996) 53
Stiebig, H., see Siebke, F.	41/42 (1996) 529
Stolt, L., see Hariskos, D.	41/42 (1996) 345
Strand, T., L. Mrig, R. Hansen and K. Emery, Technical evaluation of a dual-junction	,
same-band-gap amorphous silicon photovoltaic system	41/42 (1996) 617
Sun, S.M., see Zweigart, S.	41/42 (1996) 219
Symko, M.I., see Ciszek, T.F.	41/42 (1996) 61
Szlufcik, J., see Nijs, J.	41/42 (1996) 101
Sztaterk, 34, 000 11130, 37	41/ 42 (1770) 101
Tarui, H., see Hishikawa, Y.	41/42 (1996) 441
Tennant, A., see Contreras, M.A.	41/42 (1996) 231
Tennant, A.L., see Gabor, A.M.	41/42 (1996) 247
Terakawa, A., see Hishikawa, Y.	41/42 (1996) 441
Thorpe, D., see Wenham, S.R.	41/42 (1996) 3
Tomlinson, R.D., see Zegadi, A.	41/42 (1996) 295
Tsuda, S., see Hishikawa, Y.	41/42 (1996) 441
Tsuo, Y.S., J.R. Pitts, M.D. Landry, P. Menna, C.E. Bingham, A. Lewandowski and	, (
T.F. Ciszek, High-flux solar furnace processing of silicon solar cells	41/42 (1996) 41
Tuttle, J., see Contreras, M.A.	41/42 (1996) 231
Tuttle, J.R., see Gabor, A.M.	41/42 (1996) 247
Umeno, M., T. Kato, T. Egawa, T. Soga and T. Jimbo, High efficiency AlGaAs/Si	(
tandem solar cell over 20%	41/42 (1996) 395
Van de Lagemaat, J., see Vanmaekelbergh, D.	41/42 (1996) 537
Vannaekelbergh, D., J. van de Lagemaat and R.E.I. Schropp, Observation and explana-	41/42 (1990) 337
tion of quantum efficiencies exceeding unity in amorphous silicon solar cells	41/42 (1996) 537
Van Overstraeten, R., see Nijs, J.	41/42 (1996) 101
Vieira, M., see Martins, R.	41/42 (1996) 493
vicita, ivi., see iviaitiiis, k.	41/42 (1990) 493
Wagner, H., see Kubon, M.	41/42 (1996) 485
Wagner, H., see Rech, B.	41/42 (1996) 475
Wagner, H., see Siebke, F.	41/42 (1996) 529
Wald, F.V., see Bell, R.O.	41/42 (1996) 71
Walter, T., D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock,	11/ 12 (1220) 71
Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) <sub>2</sub> thin	
films: Growth mechanism and devices	41/42 (1996) 355
Walter, T., see Hariskos, D.	41/42 (1996) 345
Walter, T., see Ruckh, M.	41/42 (1996) 335
Wang, A., see Zhao, J.	41/42 (1996) 87
Wang, L., see Contreras, M.A.	41/42 (1996) 231
0,, 001111111111111111111111111111	.1/ 12 (1990) 231

Wang, T.H., T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson, Growth of		
silicon thin layers on cast MG-Si from metal solutions for solar cells	41/42 (1996)	19
Wang, T.H., see Ciszek, T.F.	41/42 (1996)	61
Wanka, H.N., M.B. Schubert and E. Lotter, Growth of a-Si:H on transparent conductive		
oxides for solar cell applications	41/42 (1996)	519
Wanlass, M.W., J.S. Ward, K.A. Emery, M.M. Al-Jassim, K.M. Jones and T.J. Coutts,		
Ga <sub>x</sub> In <sub>1-x</sub> As thermophotovoltaic converters	41/42 (1996)	405
Ward, J.S., see Wanlass, M.W.	41/42 (1996)	405
Webb, J.D., see Ciszek, T.F.	41/42 (1996)	61
Wenham, S.R., M.A. Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg,		
A.B. Sproul, D. Thorpe, Z. Shi and G. Heiser, Limits to the efficiency of silicon		
multilayer thin film solar cells	41/42 (1996)	3
Wenham, S.R., see Honsberg, C.B.	41/42 (1996)	183
Wenham, S.R., see Zhao, J.	41/42 (1996)	87
Werner, J.H., see Brendel, R.	41/42 (1996)	419
Wronski, C.R., Amorphous silicon technology: Coming of age	41/42 (1996)	427
Yakushev, M.V., see Zegadi, A.	41/42 (1996)	295
Zegadi, A., M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D. Tomlinson,		
A photoacoustic study on the effect of Se content on defect levels in CuInSe <sub>2</sub> single		
crystals	41/42 (1996)	295
Zerlaut, G., see Osterwald, C.R.	41/42 (1996)	629
Zhang, W., see Shi, Z.	41/42 (1996)	53
Zhao, J., A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green, 24% Efficient perl		
silicon solar cell: Recent improvements in high efficiency silicon cell research	41/42 (1996)	87
Zheng, G.F., see Shi, Z.	41/42 (1996)	53
Zweigart, S., S.M. Sun, G. Bilger and H.W. Schock, CuInSe <sub>2</sub> film growth using		
precursors deposited at low temperature	41/42 (1996)	219







**ELSEVIER** 

Solar Energy Materials and Solar Cells 41/42 (1996) 663-672

# Subject index to volumes 41/42

### Aluminium

Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H. Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996) 19
Aluminum-induced degradation and failure mechanisms of a-Si:H solar cells, M.S.	41/42 (1990) 19
Haque, H.A. Naseem and W.D. Brown	41/42 (1996) 543
Amorphous silicon, hydrogenated amorphous Si, general material property	erties
Approaches for stable multi-junction a-Si solar cells, Y. Hishikawa, K. Ninomiya, E. Maruyama, S. Kuroda, A. Terakawa, K. Sayama, H. Tarui, M. Sasaki, S. Tsuda and	
S. Nakano	41/42 (1996) 441
Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-inter-	11/ 12 (1770) 111
face layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 475
Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F.	, (,
Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 485
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N.	.,
Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Charged and neutral defect states in a-Si:H determined from improved analysis of the	
constant photocurrent method, F. Siebke, H. Stiebig, A. Abo-Arais and H. Wagner	41/42 (1996) 529
Observation and explanation of quantum efficiencies exceeding unity in amorphous	
silicon solar cells, D. Vanmaekelbergh, J. van de Lagemaat and R.E.I. Schropp	41/42 (1996) 537
Technical evaluation of a dual-junction same-band-gap amorphous silicon photovoltaic	
system, T. Strand, L. Mrig, R. Hansen and K. Emery	41/42 (1996) 617
Amorphous silicon, hydrogenated amorphous Si, general solar cell	properties and
device physics	
Amorphous silicon technology: Coming of age, C.R. Wronski	41/42 (1996) 427
A study of interface properties in a-Si solar cells with $\mu$ c-Si(C), W. Ma, S. Aoyama, H.	
Okamoto and Y. Hamakawa	41/42 (1996) 453
Metastable shunt paths in a-Si solar cells, T.J. McMahon and M.S. Bennett	41/42 (1996) 465
Aluminum-induced degradation and failure mechanisms of a-Si:H solar cells, M.S.	
Haque, H.A. Naseem and W.D. Brown	41/42 (1996) 543
Annealing	
Scavenging of excess Cu atoms in CuInS <sub>2</sub> films by sulphur annealing, R. Scheer, I.	
Luck, H. Sehnert and H.J. Lewerenz	41/42 (1996) 261

#### Cadmium sulfide, CdS

A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock 41/42 (1996) 281

#### Cadmium telluride, CdTe

Recent efficiency gains for CdTe and  $CuIn_{1-X}Ga_XSe_2$  solar cells: What has changed?, J.R. Sites and X. Liu 41/42 (1996) 373

Micro through nanostructure investigations of polycrystalline CdTe: Correlations with processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire 41/42 (1996) 381

### Carrier Lifetime

The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann 41/42 (1996) 53

#### Chalcopyrite compounds

Thermal oxidation of CuInSe<sub>2</sub>: Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin 41/42 (1996) 307

Use of n-type (Cu<sub>2</sub>Se<sub>3</sub>)<sub>1-x</sub> ordered defect chalcopyrite films for solar cell absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson 41/42 (1996) 325 Sequential processes for the deposition of polycrystalline Cu(ln,GaXS,Se)<sub>2</sub> thin films:

Sequential processes for the deposition of polycrystalline Cu(ln,GaXS,Se)<sub>2</sub> thin films:

Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R.

Herberholz and H.W. Schock

41/42 (1996) 355

#### Chemical vapour deposition

Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson

41/42 (1996) 159

#### Copper compounds

Scavenging of excess Cu atoms in  ${\rm CuInS}_2$  films by sulphur annealing, R. Scheer, I. Luck, H. Sehnert and H.J. Lewerenz

41/42 (1996) 261

#### Copper gallium indium selenide, CuGa, In<sub>1-x</sub>Se

High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se<sub>2</sub>-based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A. Franz, J. Keane, L. Wang and R. Noufi

41/42 (1996) 231

CuIn<sub>1-x</sub>Ga<sub>x</sub>Se<sub>2</sub> thin film solar cells by two-selenizations process using Se vapor, N.G. Dhere and K.W. Lynn

41/42 (1996) 271

#### Copper gallium selenide, CuGaSe,

Relation of polycrystalline Cu(In,Ga)Se<sub>2</sub> device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kumar and K.G. Lynn

41/42 (1996) 315

Influence of substrates on the electrical properties of Cu(In,Ga)Se <sub>2</sub> thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock A novel cadmium free buffer layer for Cu(In,Ga)Se <sub>2</sub> based solar cells, D. Hariskos, M.	41/42 (1996) 335
A novel caumium nee butter layer for Cu(in,Oa)Se <sub>2</sub> based solar cells, D. mariskos, M.	
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) <sub>2</sub> thin films:	41/42 (1996) 345
Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock	41/42 (1996) 355
Copper indium selenide, CuInSe <sub>2</sub>	
CuInSe <sub>2</sub> film growth using precursors deposited at low temperature, S. Zweigart, S.M.	
Sun, G. Bilger and H.W. Schock  Band-gap engineering in Cu(In,Ga)Se <sub>2</sub> thin films grown from (In,Ga) <sub>2</sub> Se <sub>3</sub> precursors,  A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	41/42 (1996) 219
Noufi, D.G. Jensen and A.M. Hermann Scavenging of excess Cu atoms in CuInS <sub>2</sub> films by sulphur annealing, R. Scheer, I.	41/42 (1996) 247
Luck, H. Sehnert and H.J. Lewerenz	41/42 (1996) 261
A photoacoustic study on the effect of Se content on defect levels in CuInSe <sub>2</sub> single crystals, A. Zegadi, M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D.	41 /42 (1006) 205
Tomlinson Thermal oxidation of CuInSe <sub>2</sub> : Experiment and physico-chemical model, M.E. Boiko	41/42 (1996) 295
and G.A. Medvedkin  Relation of polycrystalline Cu(In,Ga)Se <sub>2</sub> device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P.	41/42 (1996) 307
Asoka-Kumar and K.G. Lynn	41/42 (1996) 315
Influence of substrates on the electrical properties of Cu(In,Ga)Se <sub>2</sub> thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock	41/42 (1996) 335
A novel cadmium free buffer layer for Cu(In,Ga)Se <sub>2</sub> based solar cells, D. Hariskos, M. Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) <sub>2</sub> thin films:	41/42 (1996) 345
Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock	41/42 (1996) 355
Copper indium sulfide, CuInS <sub>2</sub>	
Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) <sub>2</sub> thin films: Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R.	
Herberholz and H.W. Schock	41/42 (1996) 355
Crystalline silicon, cells and related coatings	
15%-Efficient multicrystalline-silicon photovoltaic modules: cell processing and characterization, W.K. Schubert, D.L. King, T.D. Hund and J.M. Gee	41/42 (1996) 137
Crystalline silicon, MIS cells	
Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J. Pruett and E. Beck	41/42 (1996) 575
Crystalline silicon, production	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of high-purity, dislocation-free and multicrystalline silicon, T.F. Ciszek, T.H. Wang,	
R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb	41/42 (1996) 61

A new fabrication method for multicrystalline silicon layers on graphite substrates suited for low-cost thin film solar cells, M. Pauli, T. Reindl, W. Krühler, F. Homberg and	
J. Müller	41/42 (1996) 119
Electrical and structural properties of the Si/C interface in poly-Si thin films on graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 127
Cu	
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H. Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996) 19
$Cu_{1-y}Ag_yInS_{2(1-x)}Se_{2x}$	
Recent efficiency gains for CdTe and $CuIn_{1-\chi}Ga_{\chi}Se_2$ solar cells: What has changed?, J.R. Sites and X. Liu	41/42 (1996) 373
Efficiency	
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier A comparison of the behavior of solar silicon material in different production processes,	41/42 (1996) 31
R.O. Bell, M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch 24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	41/42 (1996) 71
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green Recent improvements in the screenprinting technology and comparison with the buried contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J. Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-	41/42 (1996) 87
straeten CulnSe <sub>2</sub> film growth using precursors deposited at low temperature, S. Zweigart, S.M.	41/42 (1996) 101
Sun, G. Bilger and H.W. Schock	41/42 (1996) 219
High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se <sub>2</sub> -based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	
Franz, J. Keane, L. Wang and R. Noufi Relation of polycrystalline Cu(In,Ga)Se <sub>2</sub> device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P.	41/42 (1996) 231
Asoka-Kumar and K.G. Lynn	41/42 (1996) 315
Recent efficiency gains for CdTe and $CuIn_{1-X}Ga_XSe_2$ solar cells: What has changed?, J.R. Sites and X. Liu	41/42 (1996) 373
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
Thermodynamic efficiency limits for semiconductor solar cells with carrier multiplica-	
tion, R. Brendel, J.H. Werner and H.J. Queisser Approaches for stable multi-junction a-Si solar cells, Y. Hishikawa, K. Ninomiya, E.	41/42 (1996) 419
Maruyama, S. Kuroda, A. Terakawa, K. Sayama, H. Tarui, M. Sasaki, S. Tsuda and	41 (42 (1000) 441
S. Nakano Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-inter-	41/42 (1996) 441
face layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 475
Electrical properties	
Electrical and structural properties of the Si/C interface in poly-Si thin films on graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 127

Influence of substrates on the electrical properties of Cu(In,Ga)Se <sub>2</sub> thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock	41/42 (1996) 335
Electron-hole recombination	
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch	41/42 (1996) 171
Ellipsometry	
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N. Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Encapsulation	
Actual optical and thermal performance of PV-modules, S. Krauter and R. Hanitsch Factors that affect the EVA encapsulant discoloration rate upon accelerated exposure,	41/42 (1996) 557
F.J. Pem	41/42 (1996) 587
Environmental degradation and testing	
Strategies for enhancing the commercial viability of CdTe-based photovoltaics, C. Eberspacher, C.F. Gay and P.D. Moskowitz	41/42 (1996) 637
Gallium arsenide and gallium aluminium arsenide, GaAs, $Ga_{1-x}Al_xAs$	
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
${\rm Ga_x In_{1-x}}$ As thermophotovoltaic converters, M.W. Wanlass, J.S. Ward, K.A. Emery, M.M. Al-Jassim, K.M. Jones and T.J. Coutts	41/42 (1996) 405
Hall effect	
The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann	41/42 (1996) 53
Hydrogen	
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson	41/42 (1996) 159
Indium tin oxide, $In_2O_3$ : Sn	
Thermal oxidation of $\operatorname{CuInSe}_2$ : Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin	41/42 (1996) 307
Interfaces	
Relation of polycrystalline Cu(In,Ga)Se <sub>2</sub> device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kumar and K.G. Lynn	41/42 (1996) 315

A study of interface properties in a-Si solar cells with $\mu$ c-Si(C), W. Ma, S. Aoyama, H. Okamoto and Y. Hamakawa	41/42 (1996) 453
Light trapping (concentration)	
Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A. Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D. Thorpe, Z. Shi and G. Heiser	41/42(1996) 3
Metal-organic chemical vapor deposition	
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
Minority carriers	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of high-purity, dislocation-free and multicrystalline silicon, T.F. Ciszek, T.H. Wang, R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb Capitalizing on two dimensional minority carrier injection in silicon solar cell design, C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.	41/42 (1996) 61
Green	41/42 (1996) 183
Molybdenum oxide	
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock	41/42 (1996) 281
Optical properties	
Thermal oxidation of $\operatorname{CuInSe}_2$ : Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin	41/42 (1996) 307
Photocurrent	
Charged and neutral defect states in a-Si:H determined from improved analysis of the constant photocurrent method, F. Siebke, H. Stiebig, A. Abo-Arais and H. Wagner	41/42 (1996) 529
Photoluminescence	
Micro through nanostructure investigations of polycrystalline CdTe: Correlations with processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire	41/42 (1996) 381
Photovoltaic effects	
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green Extended infrared response of silicon solar cells and the impurity photovoltaic effect,	41/42 (1996) 87
M.J. Keevers and M.A. Green	41/42 (1996) 195

## Photovoltaics, general properties and types

15%-Efficient multicrystalline-silicon photovoltaic modules: cell processing and charac-	
terization, W.K. Schubert, D.L. King, T.D. Hund and J.M. Gee	41/42 (1996) 137
Polycrystalline thin-film technologies: Status and prospects, A. Catalano	41/42 (1996) 205
Band-gap engineering in Cu(In,Ga)Se2 thin films grown from (In,Ga)2Se3 precursors,	
A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	
Noufi, D.G. Jensen and A.M. Hermann	41/42 (1996) 247
Thermal oxidation of CuInSe <sub>2</sub> : Experiment and physico-chemical model, M.E. Boiko	, - , , ,
and G.A. Medvedkin	41/42 (1996) 307
Ga <sub>x</sub> In <sub>1-x</sub> As thermophotovoltaic converters, M.W. Wanlass, J.S. Ward, K.A. Emery,	,
M.M. Al-Jassim, K.M. Jones and T.J. Coutts	41/42 (1996) 405
Factors that affect the EVA encapsulant discoloration rate upon accelerated exposure,	41/42 (1990) 403
	41 /40 (1006) 507
F.J. Pem	41/42 (1996) 587
Technical evaluation of a dual-junction same-band-gap amorphous silicon photovoltaic	
system, T. Strand, L. Mrig, R. Hansen and K. Emery	41/42 (1996) 617
Photovoltaic module certification and laboratory accreditation criteria development, C.R.	
Osterwald, R. Hammond, G. Zerlaut and R. D'Aiello	41/42 (1996) 629
Strategies for enhancing the commercial viability of CdTe-based photovoltaics, C.	
Eberspacher, C.F. Gay and P.D. Moskowitz	41/42 (1996) 637
DI CUD :	
Plasma CVD coatings	
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ	
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996) 31
	,
- t. t	
Reliability	
Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J.	
Pruett and E. Beck	41 / 42 (1996) 575
	, (,
Selenium	
Culn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> thin film solar cells by two-selenizations process using Se vapor, N.G.	
Dhere and K.W. Lynn	41/42 (1996) 271
A photoacoustic study on the effect of Se content on defect levels in CuInSe <sub>2</sub> single	41/42 (1990) 211
crystals, A. Zegadi, M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D.	41 (40 (1004) 005
Tomlinson	41/42 (1996) 295
Semiconductor device testing	
High efficiency graded bandgap thin-film polycrystalline Cu(ln,Ga)Se <sub>2</sub> -based solar	
cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	
Franz, J. Keane, L. Wang and R. Noufi	41/42 (1996) 231
Semiconductor junctions	
Semicontractor functions	
Use of n-type $(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar cell	
absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson	41/42 (1996) 325

## Silicon

Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A.		
Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D.		
Thorpe, Z. Shi and G. Heiser	41/42 (1996)	3
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H.		
Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996)	19
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ		
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996)	31
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D.		
Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996)	41
The effects of solvent and dopant impurities on the performance of LPE silicon solar		
cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R.	41 (40 (1000)	62
Bergmann	41/42 (1996)	53
A comparison of the behavior of solar silicon material in different production processes,	41 (42 (1000)	71
R.O. Bell, M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch	41/42 (1996)	/1
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	41 /42 (1006)	97
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green Recent improvements in the screenprinting technology and comparison with the buried	41/42 (1996)	0/
contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J.		
Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-		
straeten	41/42 (1996)	101
Electrical and structural properties of the Si/C interface in poly-Si thin films on	41/ 42 (1770)	101
graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996)	127
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori,	, (,	
X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A.		
Roberson	41/42 (1996)	159
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch	41/42 (1996)	171
Capitalizing on two dimensional minority carrier injection in silicon solar cell design,		
C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.		
Green	41/42 (1996)	183
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,		
M.J. Keevers and M.A. Green	41/42 (1996)	195
Amorphous silicon technology: Coming of age, C.R. Wronski	41/42 (1996)	427
Silicon compounds		
Transport properties of doped silicon oxycarbide microcrystalline films produced by		
spatial separation techniques, R. Martins, M. Vieira, I. Ferreira, E. Fortunato and L.		
Guimarães	41/42 (1996)	493
Solar cells		
Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A.		
Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D.		
Thorpe, Z. Shi and G. Heiser	41/42 (1996)	3
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H.		
Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996)	19
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ		
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996)	31
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D.		
Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996)	) 41

The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R.	
Bergmann	41/42 (1996) 53
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	,
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green Recent improvements in the screenprinting technology and comparison with the buried contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J. Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-	41/42 (1996) 87
straeten	41/42 (1996) 101
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson	41 /42 (1006) 150
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch	41/42 (1996) 159 41/42 (1996) 171
Capitalizing on two dimensional minority carrier injection in silicon solar cell design, C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.	41/42(1990)171
Green	41/42 (1996) 183
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,	
M.J. Keevers and M.A. Green	41/42 (1996) 195
Polycrystalline thin-film technologies: Status and prospects, A. Catalano	41/42 (1996) 205
High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se <sub>2</sub> -based solar	
cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A. Franz, J. Keane, L. Wang and R. Noufi	41/42 (1996) 231
Band-gap engineering in Cu(In,Ga)Se <sub>2</sub> thin films grown from (In,Ga) <sub>2</sub> Se <sub>3</sub> precursors,	41/42 (1990) 231
A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	
Noufi, D.G. Jensen and A.M. Hermann	41/42 (1996) 247
CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> thin film solar cells by two-selenizations process using Se vapor, N.G.	,
Dhere and K.W. Lynn	41/42 (1996) 271
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock	41/42 (1996) 281
Use of n-type $(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar cell	, (,
absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson A novel cadmium free buffer layer for Cu(In,Ga)Se <sub>2</sub> based solar cells, D. Hariskos, M.	41/42 (1996) 325
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Recent efficiency gains for CdTe and CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> solar cells: What has changed?,	41/42 (1996) 345
J.R. Sites and X. Liu	41/42 (1996) 373
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
Thermodynamic efficiency limits for semiconductor solar cells with carrier multiplica-	, -, -, -,,
tion, R. Brendel, J.H. Werner and H.J. Queisser	41/42 (1996) 419
Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-inter- face layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 475
Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F.	41/42 (1990) 4/3
Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 485
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N.	, (,
Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Observation and explanation of quantum efficiencies exceeding unity in amorphous silicon solar cells, D. Vanmaekelbergh, J. van de Lagemaat and R.E.I. Schropp	41/42 (1996) 537
Solar furnace	
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D. Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996) 41
Spectral response	
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,	
M.J. Keevers and M.A. Green	41/42 (1996) 195

## Structural properties

Electrical and structural properties of the Si/C interface in poly-Si thin films on graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 127
Thermal analysis	
Actual optical and thermal performance of PV-modules, S. Krauter and R. Hanitsch	41/42 (1996) 557
Thin film solar cells	
A new fabrication method for multicrystalline silicon layers on graphite substrates suited for low-cost thin film solar cells, M. Pauli, T. Reindl, W. Krühler, F. Homberg and	
J. Müller CuInSe <sub>2</sub> film growth using precursors deposited at low temperature, S. Zweigart, S.M.	41/42 (1996) 119
Sun, G. Bilger and H.W. Schock	41/42 (1996) 219
Thin films	
Polycrystalline thin-film technologies: Status and prospects, A. Catalano High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se <sub>2</sub> -based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	41/42 (1996) 205
Franz, J. Keane, L. Wang and R. Noufi Band-gap engineering in Cu(In,Ga)Se <sub>2</sub> thin films grown from (In,Ga) <sub>2</sub> Se <sub>3</sub> precursors,	41/42 (1996) 231
A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R. Noufi, D.G. Jensen and A.M. Hermann	41/42 (1996) 247
$\operatorname{CuIn}_{1-x}\operatorname{Ga}_x\operatorname{Se}_2$ thin film solar cells by two-selenizations process using Se vapor, N.G. Dhere and K.W. Lynn	41/42 (1996) 271
Influence of substrates on the electrical properties of Cu(In,Ga)Se <sub>2</sub> thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock A novel cadmium free buffer layer for Cu(In,Ga)Se <sub>2</sub> based solar cells, D. Hariskos, M.	41/42 (1996) 335
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) <sub>2</sub> thin films:	41/42 (1996) 345
Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock  Micro through nanostructure investigations of polycrystalline CdTe: Correlations with	41/42 (1996) 355
processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire	41/42 (1996) 381
Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J. Pruett and E. Beck	41/42 (1996) 575
Transparent conductors	
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N. Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Zinc oxide, ZnO	
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell	41 (40 (1006) 201
structures, D. Schmid, M. Ruckh and H.W. Schock  Metastable shunt paths in a-Si solar cells, T.J. McMahon and M.S. Bennett	41/42 (1996) 281 41/42 (1996) 465
Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F.	, 12 (1770) 400
Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 485

